
Refine Search

Search Results -

Terms	Documents
L3 and antisense	2

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, December 18, 2004 [Printable Copy](#) [Create Case](#)**Set Name Query**

side by side

Hit Count Set Name

result set

DB=USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR

L4	L3 and antisense	2	L4
L3	homogentisate adj dioxygenase and transformation and plant	2	L3
L2	homgentisate adj dioxygenase	0	L2
L1	homgentisate adj dioxygenase and transformation	0	L1

END OF SEARCH HISTORY

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 18:37:07 ON 18 DEC 2004

=> file agricola biosis embase caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'AGRICOLA' ENTERED AT 18:37:23 ON 18 DEC 2004

FILE 'BIOSIS' ENTERED AT 18:37:23 ON 18 DEC 2004

Copyright (c) 2004 The Thomson Corporation.

FILE 'EMBASE' ENTERED AT 18:37:23 ON 18 DEC 2004

COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.

FILE 'CAPLUS' ENTERED AT 18:37:23 ON 18 DEC 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> s homogentisate(w)dioxygenase and antisense

L1 2.HOMOGENTISATE(W) DIOXYGENASE AND ANTISENSE

=> d l1 1-2 ti

L1 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

TI Plant genes encoding methyltransferase products involved in tocopherol biosynthesis and their use in transforming plants for modified tocopherol composition

L1 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

TI Sense and ***antisense*** expression cassettes for dioxygenases and their use in increasing the tocopherol content of food plants

=> d l1 1-2 ibib ab

L1 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:154561 CAPLUS

DOCUMENT NUMBER: 138:200982

TITLE: Plant genes encoding methyltransferase products involved in tocopherol biosynthesis and their use in transforming plants for modified tocopherol composition

INVENTOR(S): Van Eenennaam, Alison; Valentin, Henry E.; Karunanandaa, Balasulojini; Hao, Ming; Aasen, Eric; Levering, Charlene

PATENT ASSIGNEE(S): Monsanto Technology LLC, USA

SOURCE: PCT Int. Appl., 218 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003016482	A2	20030227	WO 2002-US26047	20020816
WO 2003016482	A3	20040219		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2003154513	A1	20030814	US 2002-219810	20020816
EP 1427832	A2	20040616	EP 2002-766004	20020816

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK

PRIORITY APPLN. INFO.: US 2001-312758P P 20010817
WO 2002-US26047 W 20020816

AB The present invention relates to genes assocd. with the tocopherol biosynthesis pathway. More particularly, the present invention provides and includes nucleic acid mols., proteins, and antibodies assocd. with genes that encode polypeptides that have methyltransferase activity in the synthesis of tocopherols, such as .gamma.-tocopherol methyltransferase and 2-methyl-6-phytylplastoquinol/2-methyl-6-solanlylplastoquinol-9 methyltransferase. .gamma.-Tocopherol methyltransferase genes are provided from Arabidopsis thaliana, Oryza sativa, Zea mays, Gossypium hirsutum, Cuphea pulcherrima, Brassica napus, Lycopersicon esculentum, Glycine max, Tagetes erecta, and Lilium asiaticum. Homologs previously identified as .DELTA.24-sterol C-methyltransferase (EC 2.1.1.41) are also identified in cyanobacteria (Anabaena, Synechocystis, Nostoc punctiforme) and Prochlorococcus marinus. The present invention also provides methods for utilizing such agents, for example in gene isolation, gene anal. and the prodn. of transgenic plants. Moreover, the present invention includes transgenic plants modified to express the aforementioned polypeptides. In addn., the present invention includes methods for the prodn. of products from the tocopherol biosynthesis pathway.

L1 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:114633 CAPLUS

DOCUMENT NUMBER: 134:160350

TITLE: Sense and ***antisense*** expression cassettes for dioxygenases and their use in increasing the tocopherol content of food plants

INVENTOR(S): Ebneth, Marcus; Herbers, Karin; Geiger, Michael; Saalbach, Isolde

PATENT ASSIGNEE(S): Sungene G.m.b.H. & Co. K.-G.a.A., Germany

SOURCE: Ger. Offen., 28 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

DE 19937957	A1	20010215	DE 1999-19937957	19990811
CA 2381316	AA	20010222	CA 2000-2381316	20000810
WO 2001012827	A2	20010222	WO 2000-EP7807	20000810

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR,
CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,
SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

BR 2000013127	A	20020423	BR 2000-13127	20000810
EP 1200598	A2	20020502	EP 2000-951492	20000810

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL

PRIORITY APPLN. INFO.: DE 1999-19937957 A 19990811
WO 2000-EP7807 W 20000810

AB Expression cassettes using strong plant promoters are described for use in the expression of 4-hydroxyphenylpyruvate dioxygenase genes in plants. Strong expression of this gene, coupled with ***antisense*** inhibition of expression of the endogenous ***homogentisate*** ***dioxygenase*** gene can be used to enlarge intracellular pools of homogentisate and thereby increase levels of tocopherol biosynthesis. The 4-hydroxyphenylpyruvate dioxygenase gene of Streptomyces avermitilis was codon optimized for expression in Brassica napus and a partial sequence for ***homogentisate*** ***dioxygenase*** was cloned from B. napus by PCR. These were cloned into expression cassettes using the 35S or legumin B promoters.

=> s homogentisate(w)dioxygenase and transform?
L2 1 HOMOGENTISATE(W) DIOXYGENASE AND TRANSFORM?

=> d l2 1 ibbi ab
'IBBI' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE
PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)

STD ----- BIB, IPC, and NCL

IABS ----- ABS, indented with text labels
 IALL ----- ALL, indented with text labels
 IBIB ----- BIB, indented with text labels
 IMAX ----- MAX, indented with text labels
 ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
 OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
 SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
 HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
 containing hit terms
 HITRN ----- HIT RN and its text modification
 HITSTR ----- HIT RN, its text modification, its CA index name, and
 its structure diagram
 HITSEQ ----- HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 FHITSTR ----- First HIT RN, its text modification, its CA index name, and
 its structure diagram
 FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
 structure diagram, plus NTE and SEQ fields
 KWIC ----- Hit term plus 20 words on either side
 OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.
 ENTER DISPLAY FORMAT (BIB):ibib

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:154561 CAPLUS

DOCUMENT NUMBER: 138:200982

TITLE: Plant genes encoding methyltransferase products
 involved in tocopherol biosynthesis and their use in
 transforming plants for modified tocopherol
 composition

INVENTOR(S): Van Eenennaam, Alison; Valentin, Henry E.;
 Karunanandaa, Balasulojini; Hao, Ming; Aasen, Eric;
 Levering, Charlene

PATENT ASSIGNEE(S): Monsanto Technology LLC, USA

SOURCE: PCT Int. Appl., 218 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003016482	A2	20030227	WO 2002-US26047	20020816
WO 2003016482	A3	20040219		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US 2003154513	A1	20030814	US 2002-219810	20020816
EP 1427832	A2	20040616	EP 2002-766004	20020816
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
PRIORITY APPLN. INFO.:			US 2001-312758P	P 20010817
			WO 2002-US26047	W 20020816

=> s homogentisate(w)dioxygenase and inhibition

L3 4 HOMOGENITISATE(W) DIOXYGENASE AND INHIBITION

=> d l3 1-4 ti

L3 ANSWER 1 OF 4 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

TI Alkaptonuria, Ochronosis, and Ochronotic Arthropathy.

L3 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

TI Alkaptonuria - a nearly forgotten paradigm of a metabolic disease

L3 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

TI Sense and antisense expression cassettes for dioxygenases and their use in increasing the tocopherol content of food plants

L3 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN

TI Affinity chromatography of homogentisate-1,2-dioxygenase from Aspergillus niger

=> s hgd and antisense

L4 3 HGD AND ANTISENSE

=> d l4 1-3 ti

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

TI Human tissue-specific housekeeping genes identified by expression profiling

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

TI Genes that are differentially expressed during erythropoiesis and their diagnostic and therapeutic uses

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
TI Generation of transgenic plants with enhanced tocopherol concentrations by
cloning microbial gene tyrA

=> d 14 3 ibib ab

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:868650 CAPLUS
DOCUMENT NUMBER: 137:364394
TITLE: Generation of transgenic plants with enhanced
tocopherol concentrations by cloning microbial gene
tyrA
INVENTOR(S): Valentin, Henry E.; Mitsky, Timothy A.
PATENT ASSIGNEE(S): Monsanto Technology LLC, USA
SOURCE: PCT Int. Appl., 206 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002089561	A1	20021114	WO 2002-US13898	20020503
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2443865	AA	20021114	CA 2002-2443865	20020503
EP 1392106	A1	20040303	EP 2002-726831	20020503
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
BR 2002009483	A	20040706	BR 2002-9483	20020503
JP 2004533244	T2	20041104	JP 2002-586714	20020503
PRIORITY APPLN. INFO.:			US 2001-289527P	P 20010509
			WO 2002-US13898	W 20020503

AB The present invention is in the field of plant genetics and biochem. More specifically, the invention relates to genes assocd. with the tocopherol biosynthesis pathway. The present invention provides and includes nucleic acid mols., proteins, and antibodies assocd. with the genes of the tocopherol biosynthesis pathway. The present invention also provides methods for utilizing such agents, for example in gene isolation, gene anal. and the prodn. of transgenic plants. Moreover, the present invention includes transgenic plants modified to express proteins assocd. with the tocopherol pathway. In addn., the present invention includes methods for the prodn. of products from the tocopherol biosynthesis pathway. Thus, Arabidopsis thaliana transformed with gene tyrA and other tocopherol biosynthesis genes produced significantly higher levels of tocotrienols and tocopherols when compared to the untransformed plant.

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	37.73	37.94
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.10	-2.10

STN INTERNATIONAL LOGOFF AT 18:43:22 ON 18 DEC 2004